

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1907	349/113	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/26 17:12
L2	457	349/114	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/26 17:13
L3	199	1 and 2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/26 17:13
L4	2165	1 or 2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/26 17:13
L5	6	4 and substrate and ((reflect\$4 near3 (film or plate or layer or coat\$4)) and (bump or dot or protrude\$6 or recess or depress\$4)) same (aluminum or silver)) and dielectric and (insulate\$4 near6 resin) and ((thin near3 film) or tft) and (scan\$4 or gate) and source and drain and (polarizer or (polarize\$6 near3 (plate or film or layer)) and (compensate\$4 or retard\$4) and transparent	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/26 18:43
L6	16	4 and substrate and (reflect\$4 near3 (film or plate or layer or coat\$4)) and (bump or dot or protrude\$6 or recess or depress\$4)) and dielectric and (insulate\$4 near6 resin) and ((thin near3 film) or tft) and (scan\$4 or gate) and source and drain and (polarizer or (polarize\$6 near3 (plate or film or layer)) and (compensate\$4 or retard\$4) and electrode	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/26 17:31

L7	14	4 and substrate and (reflect\$4 near3 (film or plate or layer or coat\$4)) and (bump or dot or protrus\$6 or recess or depress\$4)) and dielectric and (insulat\$4 near6 resin) and ((thin near3 film) or tft) and (scan\$4 or gate) and source and drain and (polarizer or (polariz\$6 near3 (plate or film or layer)) and (compensat\$4 or retard\$4) and electrode and (color near3 filter)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/26 17:36
L8	9	1 and substrate and (reflect\$4 near3 (film or plate or layer or coat\$4)) and (bump or dot or protrus\$6 or recess or depress\$4)) and dielectric and (insulat\$4 near6 resin) and ((thin near3 film) or tft) and (scan\$4 or gate) and source and drain and (polarizer or (polariz\$6 near3 (plate or film or layer)) and (compensat\$4 or retard\$4) and electrode and (color near3 filter)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/26 19:05
L9	41	1 and substrate and ((reflect\$4 near3 (film or plate or layer or coat\$4)) and (bump or dot or protrus\$6 or recess or depress\$4)) and dielectric and (insulat\$4 near6 resin) and ((thin near3 film) or tft) and ((transparent or pixel) near3 electrode) and (color near3 filter)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/26 19:05
L10	1	1 and substrate and (dielectric near8 (color near3 filter)) and (insulat\$4 near6 resin) and ((thin near3 film) or tft) and ((transparent or pixel) near3 electrode)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/26 17:52
L11	54	1 and substrate and ((reflect\$4 near3 (film or plate or layer or coat\$4)) and (bump or dot or protrus\$6 or recess or depress\$4)) and (dielectric or passivation) and (insulat\$4 near6 resin) and ((thin near3 film) or tft) and ((transparent or pixel) near3 electrode) and (color near3 filter)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/26 18:57
L12	0	"349"/\$6 and substrate and ((reflect\$4 near3 (film or plate or layer or coat\$4)) and (bump or dot or protrus\$6 or recess or depress\$4)) same (aluminum or silver)) and passivation and (insulat\$4 near6 resin) and ((thin near3 film) or tft) and (scan\$4 or gate) and source and drain and (polarizer or (polariz\$6 near3 (plate or film or layer)) and (compensat\$4 or retard\$4) and transparent	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/26 18:43

L13	140	"349"/\$6 and substrate and ((reflect\$4 near3 (film or plate or layer or coat\$4)) and (bump or dot or protr\$6 or recess or depress\$4)) and (dielectric or passivation) and (insulat\$4 near6 resin) and ((thin near3 film) or tft) and ((tranaparent or pixel) near3 electrode) and (color near3 filter)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/26 18:57
L14	2243	349/106	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/26 19:05
L15	163	"16" and substrate and ((reflect\$4 near3 (film or plate or layer or coat\$4)) and (bump or dot or protr\$6 or recess or depress\$4)) and dielectric and (insulat\$4 near6 resin) and ((thin near3 film) or tft) and ((tranaparent or pixel) near3 electrode) and (color near3 filter)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/26 19:05
L16	10373	lg.as. and park.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/26 19:33
L17	12	16 and 14	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/26 19:26
L18	7	16 and 1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/26 19:26
L19	151	16 and (color\$2 near3 (filter or layer))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/26 19:40
L20	11	19 and 14	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/26 19:40
L21	22851	lg.as. and kim.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/26 19:40

L22	406	21 and (color\$2 near3 (filter or layer))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/26 19:40
L23	21	22 and 1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/26 19:40